

PHILIPS

hue personal
wireless
lighting



**Light your
home smarter**

2024

Your own **smart** lighting system



Table of contents

How Philips Hue works	4
Philips Hue Basics – setup of the system	8
Philips Hue Secure	16
Philips Hue White and Color Ambiance	20
Lightguide bulb	24
Play HDMI Sync Box	26
Play Gradient lightstrip	28
Play Gradient light tube	30
Play Gradient PC lightstrip	32
Play bar	34
Fugato	36
Argenta	38
Centura	40
Centris	42
Perifo	44
Gradient Signe	48
Sana/Liane	50
Ensis/Flourish	52
Infuse/Surimu	54
Xamento	56
Lightstrips	58
Moodlighting	60
Philips Hue Iris	62
Outdoor series	
Low volt accessories	66
Amarant/Calla/Lily/Outdoor lightstrip	68
Go portable lamp	70
Festavia string lights	72
Impress	74
Nyro/Resonate/Daylo	76
Appear/Attract/Discover/Econic	78
Philips Hue White Ambiance	80
Filaments	84
Amaze	86
Fair	88
Enrave	90
Being	92
Still	94
Wellness/Wellner	96
Pillar	98
Runner	100
Buckram	102
Aurelle	104
Milliskin	106
Devere/Struana	108
Adore	110
Philips Hue White	114
Filaments	118
Outdoor series	
Inara/Welcome	120
Lucca/Tuar/Turaco	122
Smart accessories	124
Product codes list	126

How Philips Hue works

The possibilities of Philips Hue smart lighting are endless, but the setup — whether with Bluetooth or the Bridge — is simple. Find out how Philips Hue works and how to get started with smart light.



The easy start to smart light

A Bluetooth-controlled system can control lights within Bluetooth range. Set the mood of a single room with any Philips Hue Bluetooth-compatible bulb and the Hue app, which controls up to 10 lights.



Unlock the full experience

Adding a Philips Hue Bridge activates the built-in Zigbee network — a more advanced way to control your lights — and unlocks the full suite of smart lighting

Which option is best for you?







All Philips Hue lights work both with Bluetooth and with the Philips Hue Bridge

Philips Hue with **Bluetooth**



Easy start to smart light

Add up 10 Hue smart lights to your room and control them all with the Philips Hue app while within ca 10 meters of the lights.



Philips Hue Bridge



Unlock the full power of smart lighting

Add a Philips Hue Bridge to your Hue smart lighting system to expand your range of control. It is the heart of your system, managing all your smart LED lights and storing your customised settings – and giving you full control over your smart lights via the Hue app.




Control lights in your entire home and outdoor space




Set up smart accessories




Create smart light routines



Sync light with movies, music and games



Secure your home




Lights turn on automatically as you arrive

Philips Hue Basics

Setup of the system

Hue brings smart lighting to everyday homes, allowing anyone to create special moments and automate with light. Start with Philips Hue your way: Bluetooth or Bridge. And no worries: even if you start with a Bluetooth-controlled system, you can always add a Bridge.



Smart Home Partners:

Voice (Google, Siri, Alexa)
Apple HomeKit,
Bosch, Innogy, Telekom,
Razer, Vodafone V-Home
(SmartThings)
...

Philips Hue

smart in so many ways

Smart Philips Hue LED bulbs and luminaires

The smart and energy-efficient LED lights bring Philips Hue to life. They deliver bright and beautiful light for your daily activities, special moments, and immersive experiences. They're practical too. They dim. They flash. They pulse. They do pretty much anything you want. And they're available in different shapes, sizes and models to suit your home.



Smart wireless hub: The Bridge

The bridge is the heart of your Philips Hue system that wirelessly connects your smart device to your Philips Hue lights. You can add up to 50 Philips Hue lights and 10 accessories to one bridge.

Linked to your router, it also connects your system to the wider world via the Internet for out-of-home control and other smart features. The Philips Hue bridge is included in all Philips Hue Starter Kits, or you can buy it separately and simply build your own Philips Hue system.



Smart Controls

You can control your Philips Hue system from any device, wherever you are. For the easiest way to set brightness, create timers, change colors (and so much more), choose the Philips Hue app. For even easier control use Hue dimmer switch or Hue tap. Set your favourite scenes and routines and have them always at hand. Battery powered Hue motion sensor will control your lights automatically, set the way you need them and whenever you need them. You don't even have to be at home to control your lights – great for peace of mind.




Smart wireless lighting system

Philips Hue with Bridge is based on ZigBee, a low-power, safe, and reliable technology to control your lights. New features and improvements are continuously added to the system to make it even more useful. Software and firmware updates can be done wirelessly and directly to your lights. The Philips Hue system can be easily integrated with other ZigBee-based systems for additional home automation.



Philips Hue + Matter

The Philips Hue Bridge has been updated to support Matter, meaning that your Hue lights and accessories automatically support Matter too. Matter is based on the principles of simplicity, reliability, interoperability and security and creates a simplified connected experience between Philips Hue and other smart home products. It's a seal of approval that devices built on this protocol will work seamlessly together, both now and well into the future.



Light up your gaming!

Create immersive experiences by syncing your Philips Hue lights with your entertainment content.

Watch, listen or play in new and exciting ways as your favorite video, audio and gaming effects fill the room. Simply link your Philips Hue smart lighting system to movies, music or games and transform your room into an entertainment arena.



Get in the game with smart lights

Experience a new dimension of spatial immersion by bringing in-game environments and effects to the entire room.



See how music comes to life

Sync your Philips Hue lights with the beat of any song whether you want to sit back and relax or get the party started.



Set up your Hue

Step 1

Make sure your Philips Hue lights are powered on and connected to the Bridge 2.0.

Step 2

Set up a new entertainment area in the Philips Hue App.

Step 3

Use the Philips Hue Sync App on your PC/Mac or connect with a supporting smart device to start your experience.

Unlock entertainment with Philips Hue Sync

Philips Hue Sync is a free PC/Mac application for unlocking immersive entertainment with your Hue lights. It creates light scripts on the fly for any content you play on your laptop or desktop, from movies and TV series to music and games.

Sync your Philips Hue lights to your TV screen

Create an immersive media experience via the Philips Hue Play HDMI Sync Box, making your lights dance, flash, dim, and brighten in sync with the on-screen content.



Fast and seamless light experience

Experience no delay as your lights sync to your onscreen content — whether you're watching movies, gaming, or playing music — creating an immersive full-room experience. Watch your favorite content like never before with the sync box.



Immerse yourself in colorful light

The sync box works with all Philips Hue White and color ambiance bulbs or fixtures. Bring your media to life by adding up to 10 Philips Hue color-capable lights to your setup and enjoy surround lighting effects.



Easy to install, set up, and use

A simple setup allows you to easily connect to your Philips Hue Bridge and use your sync box with any TV and HDMI device. Control your entertainment experience and sync box any way you want: with the app, on-product control button, any infrared TV remote, or your voice via Amazon Alexa, Google Assistant and Siri.



Supports high-quality video formats

The Philips Hue Play HDMI Sync Box supports 120Hz with an image resolution of 1080p and 1440p and is compatible with 4K, Dolby Vision, and HDR10+, letting you enjoy the highest quality picture you can get at home — all while your Philips Hue smart lights sync to give you surround lighting.

Unleash your inner rockstar

Turn your bedroom into a concert hall. Crowd surf in your living room. By syncing your smart lights, you can watch your music spill over from your speakers into the room around you in colorful, dynamic light.



Philips Hue + Spotify

Enhance the music experience by using integration between Philips Hue + Spotify. The first of its kind, this deep integration features more precise light scripts — and an even easier way to link your accounts directly in the Philips Hue app.

Hear, see, and feel the music

Music is an emotional experience. Whatever you listen to, you feel. By syncing your lights to a song, you can create your own personal mood music — no matter the genre.



Match light to the beat

We use specially created algorithms to ensure that each light script, which tells your lights how to react to the music, is perfectly tuned to each song — not just the beat but the overall feeling of the music.



Color lights and Hue Bridge required

To see your lights react to music, you need color-capable Philips Hue smart lights and a Hue Bridge.

Philips Hue Secure

Smart home security

Motion and contact sensors, security cameras, and the Security Center in the Hue app work together with your lights, giving you a smart home security system that lets you rest easy with the feeling that someone's always home. Arm and disarm with a tap in the app, get instant motion alerts, trigger light and sound alarms and more.



Monitor your home

Philips Hue Secure is your eyes and ears — both in and around your home. Receive an alert on your mobile device any time your camera or sensor detects motion. Verify your response with live views to saved video clips. You have the tools to choose how you react, no matter where you are.



Trigger alarms

Something seem suspicious? Trigger an alarm that flashes your lights or sound the siren on your Secure camera with a tap in the app. You can even use two-way talk to warn off a potential intruder — or just say hello to a friendly face.



Feel safer with light

Whether you're going out or just going to sleep, arm your Secure system with a tap. Going to be away for a while? Activate the Mimic presence automation to make it look like you're home, even when you're not.



Get it all

The Bridge gives you the full suite of smart features for your Secure setup — light alarms, automations, and more — as well as the ability to expand your home security (or smart lighting!) setup. You can get even more security features, such as smart motion detection zones and access to up to 60 days of video history, with a plan. Choose between Basic or Plus, based on your needs.



8719514492776

Battery camera black

12 W, rechargeable Li-on battery
(VA5978885)
↑ 130/160 ↔ 76 ↗ 140 mm



8719514492936

Battery camera white

12 W, rechargeable Li-on battery
(VA5978885)
↑ 130/160 ↔ 76 ↗ 140 mm



871951449267

Battery camera black

9,6 W, 220 V - 240 V
↑ 90/120 ↔ 76 ↗ 80 mm



8719514492851

Battery camera white

9,6 W, 220 V - 240 V
↑ 90/120 ↔ 76 ↗ 80 mm



8719514496132

Wired camera with desktop stand black

9,6 W, 220 V - 240 V
↑ 170 ↔ 76 ↗ 140 mm



8719514496156

Wired camera with desktop stand white

9,6 W, 220 V - 240 V
↑ 170 ↔ 76 ↗ 140 mm



8719514487161

Contact sensor 2-pack black

0,06 W, CR2 battery
↑ 71 ↔ 23 ↗ 33 mm
Synthetic



8719514487222

Contact sensor 2-pack white

0,06 W, CR2 battery
↑ 71 ↔ 23 ↗ 33 mm
Synthetic



8719514487284

Contact sensor black

0,06 W, CR2 battery
↑ 71 ↔ 23 ↗ 33 mm
Synthetic



8719514487345

Contact sensor white

0,06 W, CR2 battery
↑ 71 ↔ 23 ↗ 33 mm
Synthetic

**Philips Hue Secure
Cameras and contact sensors**
Require Philips Hue Bridge





8720169192317

Starter kit with camera

(2x E27 bulbs, wired camera, 2x contact sensors, bridge) bulb:

RGB 2200–6500 K, 16 million colors
1100 lm at 4000 K
9 W, 220 V–240 V/50–60Hz Ⓢ – IP20
110 ↔ 60 mm
Aluminium/Glass



8720169159617

Starter kit with contact sensors

(2x E27 bulbs, 3x contact sensors, motion sensor, bridge) bulb:

RGB 2200–6500 K, 16 million colors
1100 lm at 4000 K
9 W, 220 V–240 V/50–60Hz Ⓢ – IP20
110 ↔ 60 mm
Aluminium/Glass



8720169160637

Desktop stand black

182 ↔ 70 ↗ 70 mm



8720169160699

Desktop stand white

182 ↔ 70 ↗ 70 mm



8720169177703

Floodlight with camera

RGB 2200–6500 K, 16 million colors
2050 lm at 4000 K
220 V–240 V/50–60Hz Ⓢ – IP20
245 ↔ 220 mm ↗ 167 mm
Metal



8720169160996

Anti-drop cable

Metal



8720169160811

Low-volt cable 3 m

10 ↔ 10 ↗ 3000 mm



8720169262911

Camera mount with ground spike

Philips Hue Secure Starter kits and accessories
Require Philips Hue Bridge



Philips Hue White and Color Ambiance

Set up your lights to work with your lifestyle

Take color light to new heights

Set the light in your living space to your favorite color and truly create your own atmosphere. Add just a hint of color as an accent light or set your whole home to vivid jewel tones — all with the touch of a button.

Set the mood of the room

Instantly change the ambiance by adjusting the brightness, color, and temperature of your lights.

Get light for everyday moments

Use the best light for reading, relaxing, concentrating and energizing.

Control lights with your voice

Use your voice assistant to turn your lights on and off, dim them, and more.



Be creative with million colors

Play with light and choose from 16 million colors to instantly change the look and atmosphere of your room. Set the scene effortlessly with one touch of a button. Use a favourite photo and relive that special moment with splashes of light. Save your favourite light settings and recall them whenever you want with the tap of a finger.

Create an atmosphere unlike any other with dynamic scenes that allow the lights in the room or zone to slowly transition through the different colors of your favorite scene.

Sync lights with music and movies

Extend your TV viewing experience to the whole room or sync light to your favorite music and see how light reacts to the rhythm. Download the third party apps and discover the amazing things you can do with Philips Hue.

Light up your gaming

Lift your gaming experience to the next level. Download the third party apps and discover the amazing things you can do with Philips Hue.

800 lm



8719514328402
**Philips Hue White and
Color Ambiance 6,5 W E27
A60 4-pack**



8719514328389
**Philips Hue White and
Color Ambiance 6,5 W E27
A60 3-pack**



8719514328365
**Philips Hue White and
Color Ambiance 6,5 W E27
A60 2-pack**

1100 lm



8719514291355
**Philips Hue White and
Color Ambiance 9 W A60
E27 3-pack with Bridge
and Dimmer switch**



8719514291515
**Philips Hue White and
Color Ambiance 9 W A60
E27 3-pack with Bridge**



8719514291379
**Philips Hue White and
Color Ambiance 9 W A60
E27 2-pack with Bridge
and Dimmer switch**



8719514291492
**Philips Hue White and
Color Ambiance 9 W A60
E27 2-pack with Bridge**



8719514291317
**Philips Hue White and
Color Ambiance 9 W E27
A60 2 szt.**



8719514291171
**Philips Hue White and
Color Ambiance 9 W E27
A60**

1600 lm



8719514288157
**Philips Hue White and
Color Ambiance 13,5 W
A60 E27**



8719514340107
Philips Hue White and Color Ambiance 4,3 W GU10 3-pack with Bridge and Dimmer switch



8719514342767
Philips Hue White and Color Ambiance 4,3 W GU10 3-pack



8719514340084
Philips Hue White and Color Ambiance 4,3 W GU10 2-pack



8719514339880
Philips Hue White and Color Ambiance 4,3 W GU10



8719514491649
Philips Hue White and Color Ambiance 6,3 W GU5.3 MR16 2-pack



8719514491403
Philips Hue White and Color Ambiance 6,3 W GU5.3 MR16



8719514356719
Philips Hue White and Color Ambiance 4 W E14 B39 2-pack



8719514356610
Philips Hue White and Color Ambiance 4 W E14 B39



8719514491281
Philips Hue White and Color Ambiance 5,1 W E14 luster 2-pack



8719514491229
Philips Hue White and Color Ambiance 5,1 W E14 luster

Philips Hue White and Color Ambiance bulbs

1521 lm (E27 13,5 W), 1100 lm (E27 9 W), 800 lm (E27 6,5 W) at 4000 K
 470 lm (E14), 350 lm (GU10), 400 lm (GU5.3) at 4000 K
 RGB 2200–6500 K, 16 million colors
 Lifetime: 25000 hours (E14, E27, GU5.3), 15000 hours (GU10)

220 V–240 V/50–60 Hz

☉ – IP20

↑ 77 ↔ 45 mm (E14), ↑ 117 ↔ 39 mm (E14), ↑ 71 ↔ 50 mm (GU10), ↑ 49 ↔ 50 mm (GU5.3),

↑ 110 ↔ 60 mm (E27 6,5 W, 9 W)

↑ 131 ↔ 67 mm (E27 13,5 W)

Synthetic/Glass (E14), Aluminium/Glass (E27), Synthetic (GU10, GU5.3)



Philips Hue
Lightguide bulb



8719514419278

Philips Hue LG Ellipse E27

↔ 190 | 206



8719514419452

Philips Hue Black Cord E27
Designed for the Philips Hue
Lightguide bulb

↔ 1 500 | 59

G Lightguide bulb

RGB 2 000–6 500 K, 16 million colors
Lifetime: 25000 hours

Hue White and Color Ambiance
6,5 W, 500 lm at 2700 K
⊖ – IP20
Glass (bulb), Metal/Textile (cord)

Philips Hue

Play HDMI Sync Box

Play HDMI Sync Box

8718699704803

↔ 182 ↗ 99 ↓ 23 mm

Sync your smart lights to your on-screen TV content with the Philips Hue Play HDMI Sync Box. Four HDMI inputs allow you to connect your media devices to your Hue setup, resulting in a fast, seamless display of colorful smart light that responds to and reflects the content you watch or listen to.

Sync lights with your home theater and TV. Connect up to 4 HDMI devices. Personalize your experience using the app.

Requires Philips Hue Bridge and Hue color-capable lights





Philips Hue Play Gradient lightstrip

Gradient lightstrip

Take the excitement of surround lighting to the next level with the Philips Hue Play gradient lightstrip. This LED strip flawlessly blends multiple colors of light at the same time, mimicking the content on the entire screen for an immersive, full-room entertainment experience unlike any other.

RGB 2000-6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
24 V, 20 W, 1100 lm at 4000 K
⊕ – IP20
Synthetic

**Requires Philips Hue Bridge
and Philips Hue Play sync box**



8718699784751

Play gradient lightstrip 55" EU

↔ 1 400 ↗ 20 ↓ 20

8718699784775

Play gradient lightstrip 65" EU

↔ 1 650 ↗ 20 ↓ 20

8718699784799

Play gradient lightstrip 75" EU

↔ 1 900 ↗ 20 ↓ 20

8720169268111

Play gradient lightstrip mounts
replacement part






Philips Hue Play gradient light tube

Gradient light tube

Made to sit above or below the TV, the Play gradient light tube features a subtle design (and two sizes!) that blends in with its surroundings — until you see its gradient of colorful light.

RGB 2000-6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
17,4 W (tube), 20 W (tube large)
1540 lm (tube), 1800 lm (tube large)
at 4000 K,  – IP20, Aluminium

**Requires Philips Hue Bridge
and Philips Hue Play sync box**



8718696176290

Play gradient light tube white

↔ 877 ↗ 31 ↓ 34

8718696176313

Play gradient light tube large white

↔ 1377 ↗ 31 ↓ 34



8718696176306

Play gradient light tube black

↔ 877 ↗ 31 ↓ 34

8718696176320

Play gradient light tube large black

↔ 1377 ↗ 31 ↓ 34





Philips Hue Play gradient PC lightstrip

Gradient lightstrip

The Play gradient lightstrip for PC blends brilliant color together to create a seamless gradient of light. Available in three sizes based on the size and setup of monitors: for single 24–27" monitors, for single 32–34" monitors, and for 24–27" triple-monitor setups.

RGB 2 000–6 500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
15 W (24–27"), 19 W (32–34") 800 lm (24–27"),
1000 lm (32–34") at 4000 K
Aluminium

Requires Philips Hue Bridge



8719514434479
Gradient PC strip 24-27"
 ↳ 905 ↗ 17 ↓ 16

8719514434530
Gradient PC strip 32-34"
 ↳ 1165 ↗ 17 ↓ 16

8719514434592
Gradient PC strip 3x 24-27"
 ↳ 1875 ↗ 17 ↓ 16


8720169268135
Gradient PC strip mounts
 replacement part

8719514434639
Gradient PC strip 24-27" Starter kit
 ↳ 905 ↗ 17 ↓ 16

8719514434653
Gradient PC strip 32-34" Starter kit
 ↳ 1165 ↗ 17 ↓ 16

8719514434677
Gradient PC strip 3x 24-27" Starter kit
 ↳ 1875 ↗ 17 ↓ 16





Philips Hue
Play



8718696170731
Play extension pack black



8718696170717
Play single pack black

8718696170809
Play extension pack white

8718696170748
Play single pack white



8718696170724
Play double pack black



8718696171189
Play extension cable 5 m black

8718696170793
Play double pack white



8720169267978
Play light bar power adaptor black
replacement part
220-240 V



8720169267954
Play light bar power adaptor white
replacement part
220-240 V



8720169268098
Play light bar stands
replacement part

G Play

RGB 2200–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
6,7 W, 500 lm at 4000 K

⊕ – IP20

Synthetic





Philips Hue
Fugato



8718696171493
Fugato single spot white
 † 163 ↔ 82 ↗ 82 mm
 5,7 W, 350 lm at 4000 K



8718696171509
Fugato single spot black
 † 163 ↔ 82 ↗ 82 mm
 5,7 W, 350 lm at 4000 K



8718696171516
Fugato double spot white
 † 153 ↔ 195 ↗ 80 mm
 2 × 5,7 W, 2 × 350 lm at 4000 K



8718696171530
Fugato plate white
 † 153 ↔ 195 ↗ 195 mm
 3 × 5,7 W, 3 × 350 lm
 at 4000 K



8718696171547
Fugato plate black
 † 153 ↔ 195 ↗ 195 mm
 3 × 5,7 W, 3 × 350 lm
 at 4000 K



8718696171523
Fugato double spot black
 † 153 ↔ 195 ↗ 80 mm
 2 × 5,7 W, 2 × 350 lm
 at 4000 K



8718696171554
Fugato quadruple spot white
 † 153 ↔ 425 ↗ 80 mm
 4 × 5,7 W, 4 × 350 lm at 4000 K



8718696171561
Fugato quadruple spot black
 † 153 ↔ 425 ↗ 80 mm
 4 × 5,7 W, 4 × 350 lm at 4000 K



Fugato





RGB 2200–6500 K, 16 million colors
 Lifetime: 25000 hours
 Light source included

Hue White and Color Ambiance
 220 V–240 V/50–60 Hz, GU10

Ⓢ – IP20

Metal





Philips Hue
Argenta



8718696171578
Argenta single spot white
 † 127 ↔ 110 ↗ 90 mm
 5,7 W, 350 lm at 4000 K



8718696171615
Argenta single spot aluminium
 † 127 ↔ 110 ↗ 90 mm
 5,7 W, 350 lm at 4000 K



8718696171585
Argenta double spot white
 † 127 ↔ 305 ↗ 90 mm
 2 × 5,7 W, 2 × 350 lm at 4000 K



8718696171608
Argenta plate white
 † 127 ↔ 240 ↗ 240 mm
 4 × 5,7 W, 4 × 350 lm
 at 4000 K



8718696171646
Argenta plate black
 † 127 ↔ 240 ↗ 240 mm
 4 × 5,7 W, 4 × 350 lm
 at 4000 K



8718696171622
Argenta double spot aluminium
 † 127 ↔ 305 ↗ 90 mm
 2 × 5,7 W, 2 × 350 lm
 at 4000 K



8718696171592
Argenta triple spot white
 † 127 ↔ 480 ↗ 90 mm
 3 × 5,7 W, 3 × 350 lm
 at 4000 K



8718696171639
Argenta triple spot aluminium
 † 127 ↔ 480 ↗ 90 mm
 3 × 5,7 W, 3 × 350 lm
 at 4000 K



Argenta



RGB 2200–6500 K, 16 million colors
 Lifetime: 25000 hours
 Light source included

Hue White and Color Ambiance
 220 V–240 V/50–60 Hz, GU10

Ⓢ – IP20

Metal





Philips Hue
Centura



8719514338647
Centura recessed white round
 5,7 W, 350 lm at 4000 K



8719514338623
Centura recessed aluminium round
 5,7 W, 350 lm at 4000 K



8719514342927
Centura recessed black round
 5,7 W, 350 lm at 4000 K



8719514342880
Centura recessed white round 3-pack
 3 x 5,7 W, 3 x 350 lm at 4000 K



8719514342866
Centura recessed aluminium round 3-pack
 3 x 5,7 W, 3 x 350 lm at 4000 K



8719514342903
Centura recessed black round 3-pack
 3 x 5,7 W, 3 x 350 lm at 4000 K




8719514338920
Centura recessed white square
 5,7 W, 350 lm at 4000 K



8719514338807
Centura recessed aluminium square
 5,7 W, 350 lm at 4000 K

Centura

 RGB 2 200–6 500 K, 16 million colors
 Lifetime: 25000 hours
 Light source included

Hue White and Color Ambiance

220 V–240 V/50–60 Hz, GU10

⊕ – IP20

↔ 90 ↗ 90 mm

cut-out: 70 mm,

recessed: 100 mm

Synthetic





Philips Hue
Centris



8718696176009

Centris 2L ceiling lamp white

2 x 5,7 W GU10 + 11 W integrated;
1560 lm at 4000 K



8718696175989

Centris 2L ceiling lamp black

2 x 5,7 W GU10 + 11 W integrated;
1560 lm at 4000 K



8718696176016

Centris 3L ceiling lamp white

3 x 5,7 W GU10 + 34 W integrated;
3550 lm at 4000 K



8718696175996

Centris 3L ceiling lamp black

3 x 5,7 W GU10 + 34 W integrated;
3550 lm at 4000 K



8718696176030

Centris 3Lcross ceiling lamp white


3 x 5,7 W GU10 + 25 W integrated;
2810 lm at 4000 K



8718696176023

Centris 3Lcross ceiling lamp black

3 x 5,7 W GU10 + 25 W integrated;
2810 lm at 4000 K



8718696176054

Centris 4L ceiling lamp white

4 x 5,7 W GU10 + 40 W integrated;
4200 lm at 4000 K



8718696176047

Centris 4L ceiling lamp black

4 x 5,7 W GU10 + 40 W integrated;
4200 lm at 4000 K



Centris



RGB 2000–6500 K, 16 million colors

Lifetime: 15000 hours

Light source included

Hue White and Color Ambiance

⊕ – IP20

Aluminium





Philips Hue Perifo

Minimalist design, maximum potential

Perifo smart track lighting gives you full control over the way you illuminate your space. Sleek, chic and made for any space. Straight lines and sophisticated fixtures make Perifo track lighting a match for any interior design.

Because it isn't your typical track lighting – you can mount it on the ceiling and also on the wall. Once it's installed, you can start with the final touches: angling spotlights, lowering or raising pendant lights and more.






Philips Hue Perifo



8719514407763
Perifo ceiling set black
↔ 2215 ↗ 67 mm ↓ 128
21 W, 2040 lm at 4000 K




8719514407787
Perifo ceiling set white
↔ 2215 ↗ 67 mm ↓ 128
21 W, 2040 lm at 4000 K



G 8719514407800
Perifo ceiling set black
↔ 2715 ↗ 67 mm ↓ 128
29 W, 3580 lm at 4000 K



G 8719514407824
Perifo ceiling set white
↔ 2715 ↗ 67 mm ↓ 128
29 W, 3580 lm at 4000 K




8719514407725
Perifo ceiling set black
 ↳ 1715 ∠ 67 mm ↓ 288
 29 W, 1530 lm at 4000 K



8719514407749
Perifo ceiling set white
 ↳ 1715 ∠ 67 mm ↓ 288
 29 W, 1530 lm at 4000 K



8719514407848
Perifo wall set black
 ↳ 1504 ∠ 67 mm ↓ 128
 29 W, 1530 lm at 4000 K



8719514407862
Perifo wall set white
 ↳ 1504 ∠ 67 mm ↓ 128
 29 W, 1530 lm at 4000 K



G 8719514407886
Perifo wall set black
 ↳ 2400 ∠ 67 mm ↓ 128
 29 W, 3620 lm at 4000 K



G 8719514407909
Perifo wall set white
 ↳ 2400 ∠ 67 mm ↓ 128
 29 W, 3620 lm at 4000 K



8719514407442
Perifo cylinder spotlight black
 ↳ 177 ∠ 67 mm ↓ 128
 5.3 W, 510 lm at 4000 K



8719514407466
Perifo cylinder spotlight white
 ↳ 177 ∠ 67 mm ↓ 128
 5.3 W, 510 lm at 4000 K



8719514407480
Perifo cylinder pendant black
 ↳ 177 ∠ 67 mm ↓ 288
 5.2 W, 510 lm at 4000 K



8719514407503
Perifo cylinder pendant white
 ↳ 177 ∠ 67 mm ↓ 288
 5.2 W, 510 lm at 4000 K



Perifo



RGB 2 000–6 500 K, 16 million colors

Lifetime: 25 000 hours

Light source included

Hue White and Color Ambiance


⊕ – IP20

Metal






Philips Hue **Gradient Signe**




8718696176252
Gradient Signe floor lamp white
‡ 1458 ↔ 111 ↗ 111 mm
29 W, 2550 lm at 4000 K




8718696176238
Gradient Signe table lamp white
‡ 553 ↔ 111 ↗ 111 mm
11.8 W, 1040 lm at 4000 K



8718696176269
Gradient Signe floor lamp black
‡ 1458 ↔ 111 ↗ 111 mm
29 W, 2550 lm at 4000 K



8718696176245
Gradient Signe table lamp black
‡ 553 ↔ 111 ↗ 111 mm
11.8 W, 1040 lm at 4000 K



8719514433526
Gradient Signe floor lamp oak
‡ 1458 ↔ 111 ↗ 111 mm
29 W, 2550 lm at 4000 K



8719514433465
Gradient Signe table lamp oak
‡ 553 ↔ 111 ↗ 111 mm
11.8 W, 1040 lm at 4000 K



Gradient Signe




RGB 2000–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance

⊕ – IP20

Aluminium





Philips Hue
Sana/Liane



8719514343382
Sana wall lamp black
1 255 ↔ 255 ↗ 52 mm
20 W, 1500 lm at 4000 K



8719514343405
Sana wall lamp white
1 255 ↔ 255 ↗ 52 mm
20 W, 1500 lm at 4000 K



8719514343429
Liane wall lamp black
1 558 ↔ 31 ↗ 107 mm
20 W, 900 lm at 4000 K



8719514343443
Liane wall lamp white
1 558 ↔ 31 ↗ 107 mm
20 W, 900 lm at 4000 K



Sana/Liane



RGB 2000–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance

☉ – IP20

Aluminium





Philips Hue
Ensis/Flourish



G 8719514343368
Ensis pendant lamp black
 † 164–1664 ↔ 1298 ↗ 70 mm
 2 × 39 W, 5500 lm at 4000 K



G 8719514343467
Ensis pendant lamp white
 † 164–1664 ↔ 1298 ↗ 70 mm
 2 × 39 W, 5500 lm at 4000 K



F 8719514343481
Flourish table lamp white
 † 175 ↔ 261 ↗ 261 mm
 E27, 9,5 W, 800 lm at 4000 K



G 8719514343504
Flourish ceiling lamp white
 † 141 ↔ 359 ↗ 359 mm
 32 W, 2250 lm at 4000 K



Ensis/Flourish

RGB 2000–6500 K, 16 million colors
 Lifetime: 25000 hours
 Light source included

Hue White and Color Ambiance

⊕ – IP20

Aluminium (Ensis), Glass (Flourish)



G 8719514343528
Flourish pendant lamp white
 † 300–1800 ↔ 401 ↗ 401 mm
 31 W, 2750 lm at 4000 K



Philips Hue
Infuse/Surimu



8718696176498
Infuse M ceiling lamp white
 184 ↔ 381 mm
 33,5 W, 2350 lm at 4000 K



8718696176504
Infuse M ceiling lamp black
 184 ↔ 381 mm
 33,5 W, 2350 lm at 4000 K



8718696176511
Infuse L ceiling lamp white
 184 ↔ 425 mm
 52,5 W, 3700 lm at 4000 K



8718696176528
Infuse L ceiling lamp black
 184 ↔ 425 mm
 52,5 W, 3700 lm at 4000 K



8719514355057
Surimu panel rectangle
 148 ↔ 1200 ↗ 300 mm
 60 W, 4200 lm at 4000 K



8719514355071
Surimu panel square
 148 ↔ 600 ↗ 600 mm
 60 W, 4200 lm at 4000 K



8720169159136
Surimu panel square
 146 ↔ 300 ↗ 300 mm
 25 W, 1760 lm at 4000 K



8720169159198
Surimu panel round
 147 ↔ 395 ↗ 395 mm
 40 W, 2850 lm at 4000 K



Infuse/Surimu



RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

⊕ – IP20

Metal/Synthetic





Philips Hue
Xamento



8718696176559
Xamento M ceiling lamp white
 184 ↔ 381 mm
 33.5 W, 2350 lm at 4000K



8718696176566
Xamento L ceiling lamp white
 184 ↔ 425 mm
 52.5 W, 3700 lm at 4000K



8719514452251
Xamento M ceiling lamp black
 184 ↔ 381 mm
 33.5 W, 2350 lm at 4000K



8719514355392
Xamento recessed chrome 3-pack
 190 ↔ 94 mm
 3x5.7 W, 3x350 lm at 4000K



8719514355347
Xamento recessed chrome
 190 ↔ 94 mm
 5.7 W, 350 lm at 4000K



8719514452190
Xamento recessed black 3-pack
 190 ↔ 94 mm
 3x5.7 W, 3x350 lm at 4000K



8719514452138
Xamento recessed black
 190 ↔ 94 mm
 5.7 W, 350 lm at 4000K



Xamento



RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

⊕ – IP44

Metal/Synthetic





Philips Hue **Lightstrips**



8719514339965
Gradient lightstrip 2m base kit
 blends different colors of light together at once



8719514339989
Gradient lightstrip 1m extension
 blends different colors of light together at once




8718699703424
Lightstrip Plus V4 2m base kit



8718699703448
Lightstrip Plus V4 1m extension

Lightstrips

-  **Gradient lightstrip 2m base kit** ↔ 2000 ↗ 15 ↓ 5, 25 W, 1700 lm at 4000 K
- Gradient lightstrip 1m extension** ↔ 1000 ↗ 15 ↓ 5, 11 W, 1030 lm at 4000 K
- Lightstrip Plus V4 2m base kit** ↔ 2000 ↗ 14,5 ↓ 5, 11 W, 1260 lm at 4000 K
- Lightstrip Plus V4 1m extension** ↔ 1000 ↗ 14,5 ↓ 5, 11 W, 700 lm at 4000 K

RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

⊖ – IP20

Synthetic



Philips Hue **Moodlighting**



8718699770983
Bloom white



8718699771126
Bloom black



8718696173992
Hue Go



8720169267992
Hue Go power adaptor
 replacement part
 220-240 V

Moodlighting

G Hue Go ↔ 120 ↗ 120 ↓ 70, 6 W, 530 lm at 4000 K
Bloom ↔ 130 ↗ 126 ↓ 101, 7,1 W, 500 lm at 4000 K

RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

⊖ – IP20

Synthetic



Philips Hue Iris

**The exclusive, extraordinary,
and surprisingly smart lamp.**



8719514264465
Iris white



8719514264489
Iris black



8719514410732
Iris gold



8719514411524
Iris silver



8719514411586
Iris copper



Iris



Iris ↔ 222 ↗ 165 ↓ 150, 8,1 W, 570 lm at 4000 K

RGB 2000–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

⊕ – IP20

Synthetic/Metal



Low
voltage

Easy to install and extend

The products are based on low voltage, safe to use and easy to install. No more complexity to get lighting outdoors: go create and extend as you like. Look for Low voltage icon next to products.

Transform your outdoor space with light

Philips Hue smart lighting is for your entire home — inside and out. We have two types of outdoor lights: standard line-voltage (wired into your home's electricity) and low-voltage, which simply plug into any outdoor outlet. Called Low volt, this collection of lights allows more flexibility in designing your outdoor lighting. Whatever you choose, Philips Hue lets you transform your outdoors with smart light.

Which option is best for you?

Low volt

24 V



Line voltage

220 V



Voltage

Safe extra low voltage (SELV)



Bridge required

Can be placed anywhere



Direct line-voltage connection



Separate power supply unit required



Philips Hue Low volt accesories





8719514414150
Power Supply 24 V, 100 W
1 45 ↔ 200 + cable 1500/600 ↗ 70 mm, IP67



8719514413979
Power Supply 24 V, 40 W
1 41 ↔ 132 + cable 1500/600 ↗ 65 mm, IP67

Examples of possible Low volt setups



8718696168721
Cable extension 5 m
1 7,3 ↔ 7,3 / 5000 mm, IP67



8718696176641
Cable extension 2.5 m
1 7,3 ↔ 7,3 / 2500 mm, IP67



8718696176658
Low volt T-connector
1 80 ↔ 48 / 20 mm, IP67



8718696174425
Amarant black
 † 795 ↗ 50 ↘ 68 mm
 20,5 W, 1420 lm at 4000 K,
 PSU needed (p. 66)



8718699709839
Outdoor lightstrip 2 m
 † 20 ↗ 2000 ↘ 11 mm
 19,5 W, 765 lm at 4000 K



8718699709853
Outdoor lightstrip 5 m
 † 20 ↗ 4908 ↘ 11 mm
 37,5 W, 1490 lm at 4000 K

Outdoor lightstrips are not extendable, nor cuttable!



8718696174364
Lily XL spike black
 † 190 ↔ 130 ↗ 120 mm
 15 W, 1200 lm at 4000 K,
 PSU needed (p. 66)



8718696170557
**Calla large extension
 pedestal black**
 † 400 ↔ 104 ↗ 104 mm
 8 W, 590 lm at 4000 K,
 PSU needed (p. 66)



8718696167991
**Calla extension
 pedestal black**
 † 255 ↔ 104 ↗ 104 mm
 8 W, 590 lm at 4000 K,
 PSU needed (p. 66)



8719514388499
Calla extension pedestal silver
 † 255 ↔ 104 ↗ 104 mm
 8 W, 590 lm at 4000 K, potrzebny
 PSU needed (p. 66)



8718696167960
Lily spike black 3-pack
 † 192 ↔ 84 ↗ 70 mm
 3 × 8 W, 3 × 640 lm
 at 4000 K



8718696169087
Lily spike black
 † 192 ↔ 84 ↗ 70 mm
 8 W, 640 lm at 4000 K



8718696167977
**Lily spike black
 extension**
 † 192 ↔ 84 ↗ 70 mm
 8 W, 640 lm at 4000 K,
 PSU needed (p. 66)

G Amarant/Calla/Lily/Outdoor lightstrip

**Low
 volt** RGB 2200–6500 K, 16 million colors
 Lifetime: 25000 hours
 Light source included

Hue White and Color Ambiance
 220 V–240 V/50–60 Hz

☉ – IP44 (Calla), IP65 (Lily, Lightstrip, Amarant)

Aluminium (Calla, Lily), Synthetic/Silikon (Lightstrip), Synthetic/Metal (Amarant)



Philips Hue
Go portable lamp



8719514404571

Go portable table lamp white

1 350 ↔ 142



8719514404595

Go portable table lamp black

1 350 ↔ 142



8720169268012

Go portable table lamp charging base

replacement part
220-240 V



Go portable lamp



RGB 2000–6500 K, 16 million colors

Lifetime: 20000 hours

Light source included

Hue White and Color Ambiance

220 V–240 V/50–60 Hz

6,2 W, 530 lm at 4000 K

⊖ – IP54 (lamp)

⊖ – IP20 (charging base)

Synthetic/Aluminium



Philips Hue **Festavia string lights**



8720169246621

Festavia string lights 250 mini LEDs

14 W, 20 m + cable 2x2,4 m



8720169246867

Festavia string lights 500 mini LEDs

28 W, 2x20 m + cable 2x2,4 m



Festavia string lights



RGB 2000–6500 K, 16 million colors

Lifetime: 15000 hours

Light source included

Hue White and Color Ambiance

220 V–240 V/50–60 Hz

⊖ – IP54

Synthetic



Philips Hue
Impress



8718696170489
Impress
wall lantern black
 † 240 ↔ 120 ↗ 141 mm



 8718696174333
Impress
wall lantern black
 † 240 ↔ 120 ↗ 140 mm
 PSU needed (p. 66)



8718696170496
Impress
large wall lantern black
 † 240 ↔ 190 ↗ 117 mm



8718696170502
Impress
pedestal black
 † 400 ↔ 100 ↗ 100 mm



 8718696170526
Impress
pedestal black
 † 400 ↔ 100 ↗ 100 mm
 PSU needed (p. 66)



8718696170519
Impress post black
 † 770 ↔ 100 ↗ 100 mm, 24 V

Impress

RGB 2200–6500 K, 16 million colors
 Lifetime: 25000 hours
 Light source included

Hue White and Color Ambiance
 220 V–240 V/50–60 Hz
 8 W or 2 × 8 W, 1180 lm at 4000 K
 Ⓢ – IP44
 Aluminium die-cast



Philips Hue
Nyro/Resonate/Daylo/Dymera



8718696174296
Nyro pedestal black
 † 1400 ↔ 250 ↗ 100 mm



8718696174302
Nyro wall lantern black
 † 100 ↔ 250 ↗ 85 mm, 1000 lm



8718696174388
Resonate wall lantern black
 † 180 ↔ 120 ↗ 100 mm



8719514466777
Resonate downward wall lantern black
 † 168 ↔ 157 ↗ 125 mm



8718696174395
Resonate wall lantern inox
 † 180 ↔ 120 ↗ 100 mm



8718696174401
Daylo wall lantern black
 † 220 ↔ 220 ↗ 75 mm



8718696174418
Daylo wall lantern inox
 † 220 ↔ 220 ↗ 75 mm



8720169234505
Dymera wall light
 † 160 ↔ 230 ↗ 94 mm
 for indoor and outdoor use

G Nyro/Resonate/Daylo/Dymera

RGB 2200–6500 K, 16 million colors

Lifetime: 25000 hours

Light source included

Hue White and Color Ambiance

220 V–240 V/50–60 Hz

13,5 W, 1020 lm (Nyro), 2 × 8 W, 1180 lm (Resonate), 10,2 W, 1020 lm (Dymera)

8 W, 590 lm (Resonate downward), 15 W, 1060 lm (Daylo) at 4000 K

☉ – IP44

Aluminium die-cast



Philips Hue
Appear/Attract/Discover/Econic



8718696174357
Attract wall lantern black
‡ 190 ↔ 230 ↗ 250 mm



8718696174371
Appear wall lantern black
‡ 85 ↔ 120 ↗ 240 mm



8718696176207
Appear wall lantern inox
‡ 85 ↔ 120 ↗ 240 mm



8718696170571
Econic up wall lantern black
‡ 244 ↔ 194 ↗ 301 mm



8718696170588
Econic down wall lantern black
‡ 244 ↔ 194 ↗ 312 mm



8718696170595
Econic pedestal black
‡ 163 ↔ 163 ↗ 322 mm



8718696170564
Econic wall lantern square black
‡ 260 ↔ 260 ↗ 115 mm



8718696170601
Econic post black
‡ 163 ↔ 163 ↗ 1000 mm



8718696170533
Discover wall lantern
‡ 160 ↔ 220 ↗ 153 mm

G Appear/Attract/Discover/Econic

RGB 2200–6500 K, 16 million colors
Lifetime: 25000 hours
Light source included

Hue White and Color Ambiance
220 V–240 V/50–60 Hz

79 W, 2250 lm (Discover), 15 W, 1140 lm (Econic), 8 W, 590 lm (Attract),
2 x 8 W, 1180 lm (Appear) at 4000 K

☉ – IP44

Aluminium die-cast

Philips Hue White Ambiance

Set up your lights to work with your lifestyle

Wake up and go to sleep naturally

Philips Hue will help get you out of bed the way you like it, helping you start your day feeling refreshed. The light brightness increases gradually mimicking the effect of sunrise and helps you wake up naturally, instead of being woken up by the loud sound of an alarm clock. Start your day, the right way. In the evening, the relaxing warm white light helps you to unwind, relax and prepare your body for a good night's sleep.

Relax, read, concentrate and energize with light recipes

Light influences our mood and behavior. Philips Hue can help you to customize your daily routines into moments you can enjoy. Skip your morning coffee and get ready for the day with cool, bright white daylight that helps to energize your body and mind. Stay focussed with finely tuned bright white light. Or put your feet up and relax with a soft glow of white light for the perfect end of the day.

Improve the functionality by adding a Hue Bridge
Expand your range of control. Add more lights to even the furthest corners of your home.



Boost your energy

Use light to amp up the energy in your home. With its cool white light, the Energize light scene helps you add a little pep to your morning or an extra punch to your workout.



Sharpen your focus

When you need to get things done, Philips Hue can help you direct your full attention to the task at hand. Set the Concentrate light scene to stay focused and keep your head in the game.




Read with ease

Curl up with a good book under the right light. With the Read light scene, Philips Hue adjusts the light from cool to warm for the perfect shade of white, allowing you to comfortably flip through the pages.



Relax your mind

Finding the time to unwind can prove difficult. When you finally do get a moment to yourself, set Philips Hue to the subtle, soft light of the Relax scene and take your tranquility to the next level.



800 lm



8719514328280
Philips Hue White Ambiance
6 W E27 A60 4-pack



8719514328266
Philips Hue White Ambiance
6 W E27 A60 3-pack



8719514328242
Philips Hue White Ambiance
6 W E27 A60 2-pack

1100 lm



8719514291232
Philips Hue White Ambiance
8 W A60 E27 3-pack with
Bridge and Dimmer switch



8719514291812
Philips Hue White Ambiance
8 W A60 E27 2-pack with
Bridge and Dimmer switch



8719514291256
Philips Hue White Ambiance
8 W A60 E27 2-pack



8719514291119
Philips Hue White Ambiance
8 W A60 E27

1600 lm



8719514288195
Philips Hue White Ambiance
13 W A60 E27

**G**

8719514342804
Philips Hue White Ambiance
 4.3 W GU10 3-pack

**G**

8719514340121
Philips Hue White Ambiance
 4.3 W GU10 2-pack

**G**

8719514339903
Philips Hue White Ambiance
 4.3 W GU10

**G**

8719514491588
Philips Hue White and Color Ambiance
 6,3 W GU5.3 MR16 2-pack

**G**

8719514491342
Philips Hue White and Color Ambiance
 6,3 W GU5.3 MR16

**G**

8719514356733
Philips Hue White Ambiance
 4 W E14 B39 2-pack

**G**

8719514356658
Philips Hue White Ambiance
 4 W E14 B39

**F**

8719514491168
Philips Hue White Ambiance
 5,1 W E14 luster 2-pack

**F**

8719514491106
Philips Hue White Ambiance
 5,1 W E14 luster

Philips Hue White Ambiance bulbs

1521 lm (E27 13 W), 1100 lm (E27 8 W), 800 lm (E27 6 W) at 4000 K
 470 lm (E14), 350 lm (GU10), 400 lm (GU5.3) at 4000 K
 White Ambiance 2200–6500 K
 Lifetime: 25000 hours (E14, E27, GU5.3), 15000 hours (GU10)

220 V–240 V/50–60 Hz

⊕ – IP20


↑ 77 ↔ 45 mm (E14), ↑ 117 ↔ 39 mm (E14), ↑ 71 ↔ 50 mm (GU10), ↑ 49 ↔ 50 mm (GU5.3)

↑ 110 ↔ 60 mm (E27 6 W, 8 W)

↑ 131 ↔ 67 mm (E27 13 W)

Synthetic/Glass (E14), Aluminium/Glass (E27), Synthetic (GU10, GU5.3)

All Philips Hue White Ambiance bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue **White Ambiance Filaments**



8719514301429

**Philips Hue White Ambiance
Filament 7 W A60 E27**



8719514301467

**Philips Hue White Ambiance
Filament 7 W ST64 E27**



8719514301481

**Philips Hue White Ambiance
Filament 7 W G93 E27**



8719514301504

**Philips Hue White Ambiance
Filament 7 W ST72 E27**



8719514301542

**Philips Hue White Ambiance
Filament 7 W G125 E27**



8719514411869

**Philips Hue White Ambiance
Filament 4.6 W Candle E14
2-pack**



8719514411807

**Philips Hue White Ambiance
Filament 4.6 W Candle E14**



Philips Hue White Ambiance Filament



550 lm at 2700 K

White Ambiance 2200–4500 K

Lifetime: 15000 hours

220 V–240 V/50–60 Hz

⊕ – IP20

↑ 115 ↔ 60 mm (A60), ↑ 133 ↔ 60 mm (ST64),

↑ 150 ↔ 95 mm (G93), ↑ 164 ↔ 72 mm (ST72)


↑ 192 ↔ 125 mm (G125)

Glass


All Philips Hue White Ambiance filament bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue
Amaze



8719514341098
Amaze pendant white



8719514341074
Amaze pendant black



Amaze



2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
25 W, 2900 lm at 4000 K
⊖ – IP20
↑ 1 500 ↔ 434 ↗ 434 mm
Aluminium/Synthetic




Dimmer switch remote control included





Philips Hue
Fair



8719514341319
Fair pendant white



8719514341258
Fair ceiling lamp black



8719514341272
Fair ceiling lamp white



8719514341296
Fair pendant black



Fair




2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
25 W, 3000 lm at 4000 K
⊕ – IP20

↑ 1600 ↔ 444 ↗ 444 mm (pendant)
↑ 99 ↔ 444 ↗ 444 mm (ceiling lamp)
Metal/Glass

Dimmer switch remote control included





Philips Hue
Enrave



8718696176412
Enrave S white (Ø 261 mm)

8718696176436
Enrave M white (Ø 381 mm)

8718696176450
Enrave L white (Ø 425 mm)

8718696176474
Enrave XL white (Ø 551 mm)



8718696176429
Enrave S black (Ø 261 mm)

8718696176443
Enrave M black (Ø 381 mm)

8718696176467
Enrave L black (Ø 425 mm)

8718696176481
Enrave XL black (Ø 551 mm)



8718696176573
Enrave pendant white (Ø 425 mm)



8718696176580
Enrave pendant black (Ø 425 mm)



Enrave

2200–6500 K
 Lifetime: 25000 hours
 Light source included

Hue White Ambiance
 220 V–240 V/50–60 Hz
 9,6 W, 1220 lm (S), 19,2 W, 2450 lm (M),
 33,5 W, 4300 lm (L, pendant),
 48 W, 6100 lm (XL) at 4000 K

⊕ – IP20

Metal/Synthetic



Dimmer switch remote control included





Philips Hue
Being



8719514341111
Being ceiling lamp aluminium



8718696175279
Being pendant aluminium



8719514341159
Being ceiling lamp white



8718696175293
Being pendant white




8719514341135
Being ceiling lamp black



8718696175286
Being pendant black

Being

 2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
22,5 W (ceiling lamp),
25 W (pendant),
2400 lm at 4000 K
⊕ – IP20
171 ↔ 391 ↗ 391 mm
Metal/Synthetic

Dimmer switch remote control included





Philips Hue
Still



8719514341333
Still ceiling lamp
aluminium



8719514341371
Still ceiling lamp
white



8719514341357
Still ceiling lamp
black



Dimmer switch remote
control included




Still



2200–6500 K
Lifetime: 25000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
22,5 W, 2400 lm at 4000 K
⊖ – IP20
171 ↔ 391 ↗ 391 mm
Metal/Synthetic



Philips Hue
Wellness/Wellner



8719514341395
Wellner table lamp white



8719514341418
Wellness table lamp black

Dimmer switch remote control included



Wellner/Wellness



2200–6500 K

Lifetime: 25000 hours

Light source included

Hue White Ambiance

220 V–240 V/50–60 Hz

8 W, 806 lm at 4000 K


⊖ – IP20

↑ 192 ↔ 268 ↗ 268 mm (Wellner)

↑ 193 ↔ 186 ↗ 186 mm (Wellness)

Glass (Wellner), Wood/Glass (Wellness)





Philips Hue
Pillar



8719514338449
Pillar single spot black



8719514338524
Pillar single spot extension black
Dimmer switch not included



8719514338425
Pillar double spot black



8719514338487
Pillar single spot white



8719514338500
Pillar single spot extension white
Dimmer switch not included



8719514338463
Pillar double spot white

Dimmer switch remote control included



Pillar



2200–6500 K
Lifetime: 15000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
5 W, 350 lm (single),
2 x 5 W, 2 x 350 lm at 4000 K (double)

⊖ – IP20

1120 ↔ 103 ↗ 103 mm (single)

1120 ↔ 193 ↗ 103 mm (double)

Aluminium





Philips Hue Runner



8719514338203
Runner single spot white



8719514338326
Runner single spot black



8719514338340
Runner single spot extension white
Dimmer switch not included



8719514338364
Runner single spot extension black
Dimmer switch not included



8719514338166
Runner double spot black



8719514338401
Runner triple spot black




8719514338142
Runner double spot white



8719514338388
Runner triple spot white

Runner

 2200–6500 K
Lifetime: 15000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
5 W, 350 lm (single),
2 x 5 W, 2 x 350 lm (double),
3 x 5 W, 3 x 350 lm (triple)
at 4000 K

⊖ – IP20

190 ↔ 110 ↗ 107 mm (single)
189 ↔ 305 ↗ 109 mm (double)
189 ↔ 480 ↗ 109 mm (triple)
Aluminium



Dimmer switch remote control included





Philips Hue
Buckram



8719514339224
Buckram single spot white




8719514339187
Buckram single spot extension white
Dimmer switch not included



8719514339064
Buckram double spot white



8719514339101
Buckram triple spot white



8719514339149
Buckram plate white



8719514339248
Buckram single spot black



8719514339200
Buckram single spot extension black
Dimmer switch not included



8719514339088
Buckram double spot black



8719514339125
Buckram triple spot black



8719514339163
Buckram plate black



Buckram



2200–6500 K
Lifetime: 15000 hours
Light source included

Hue White Ambiance
220 V–240 V/50–60 Hz
5 W, 350 lm (single),
2 x 5 W, 2 x 350 lm (double),
3 x 5 W, 3 x 350 lm (triple),
4 x 5 W, 4 x 350 lm (plate)
at 4000 K

⊖ – IP20

↑ 102 ↔ 102 ↗ 103 mm (single)
↑ 102 ↔ 240 ↗ 103 mm (double)
↑ 102 ↔ 443 ↗ 103 mm (triple)
↑ 240 ↔ 240 ↗ 103 mm (plate)

Aluminium/Synthetic

Dimmer switch remote control included





Philips Hue
Aurette



8720169159013

Aurelle ceiling lamp black
1 46 ↔ 300 ↗ 300 mm
19 W, 230 V, 1940 lm at 4000 K



8720169158894

Aurelle ceiling lamp black
1 46 ↔ 600 ↗ 600 mm
46,5 W, 230 V, 3750 lm at 4000 K



8720169158955

Aurelle ceiling lamp black
1 46 ↔ 1200 ↗ 300 mm
46,5 W, 230 V, 3750 lm at 4000 K



8720169159075

Aurelle ceiling lamp black
1 47 ↔ 395 ↗ 395 mm
24,5 W, 230 V, 2300 lm at 4000 K



8719514382626

Aurelle ceiling lamp white
1 46 ↔ 300 ↗ 300 mm
19 W, 230 V, 1940 lm at 4000 K



8719514382640

Aurelle ceiling lamp white
1 46 ↔ 600 ↗ 600 mm
46,5 W, 230 V, 3750 lm at 4000 K



8719514382664

Aurelle ceiling lamp white
1 46 ↔ 1200 ↗ 300 mm
46,5 W, 230 V, 3750 lm at 4000 K



8719514382688

Aurelle ceiling lamp white
1 47 ↔ 395 ↗ 395 mm
24,5 W, 230 V, 2300 lm at 4000 K



Aurelle

- F** 2200–6500 K
- Lifetime: 25000 hours
- Light source included
- Hue White Ambiance
- ⊕ – IP20
- Aluminium



Dimmer switch remote control included





Philips Hue
Milliskin



8719514338586
Milliskin recessed extension aluminium



8719514338609
Milliskin recessed extension white



8719514338548
Milliskin recessed extension aluminium



8719514338562
Milliskin recessed extension white



8719514342828
Milliskin recessed aluminium 3-pack



8719514342842
Milliskin recessed white 3-pack



Milliskin

2200–6500 K

Lifetime: 15000 hours

Light source included: GU10

Hue White Ambiance

220 V–240 V/50–60 Hz, GU10

5 W, 250 lm,

3 x 5 W, 3 x 250 lm (3-pack)

at 4000 K

⊖ – IP20

↔ 90 / 90 mm

cut-out: 70 mm,


recessed: 100 mm

Synthetic



Dimmer switch
not included





Philips Hue
Devere/Struana



8719514341012
Struana ceiling lamp
 195 ↔ 360 ↗ 360 mm



8718696176535
Devere M ceiling lamp white
 184 ↔ 381 ↗ 381 mm

8718696176542
Devere L ceiling lamp white
 184 ↔ 425 ↗ 425 mm



Devere/Struana



2200–6500 K
 Lifetime: 25000 hours
 Light source included

Hue White Ambiance
 220 V–240 V/50–60 Hz
 32 W, 2400 lm (Struana),
 19,2 W, 2450 lm (Devere M), 4300 lm,
 33,5 W (Devere L) at 4000 K
 Ⓢ – IP44

Synthetic (Struana), Metal/Synthetic (Devere)



Dimmer switch remote control included






Philips Hue
Adore



8719514340978

Adore ceiling lamp chrome

1 60 ↔ 407 ↗ 407 mm
40 W, 2750 lm at 4000 K



8719514340992

Adore wall mirror lamp white

1 51 ↔ 560 ↗ 560 mm
40 W, 2400 lm at 4000 K



8719514340831

Adore wall lamp chrome

1 64 ↔ 595 ↗ 138 mm
40 W, 2750 lm at 4000 K

Dimmer switch remote
control included



 **Adore**

F 2200–6500 K
Lifetime: 30000 hours
Light source included

Hue White Ambiance

⊕ – IP44

Metal/Aluminium/Glass/Synthetic





Philips Hue
Adore



8719514340916
Adore plate white
 † 120 ↔ 275 ↗ 250 mm
 3 × 5,5 W, 230 V,
 3 × 350 lm at 4000 K



8719514340893
Adore bar white
 † 191 ↔ 626 ↗ 122 mm
 3 × 5,5 W, 230 V,
 3 × 350 lm at 4000 K



8719514340879
Adore bar white
 † 190 ↔ 366 ↗ 120 mm
 2 × 5,5 W, 230 V,
 2 × 350 lm at 4000 K



8719514340855
Adore single spot white
 † 136 ↔ 71 ↗ 121 mm
 5,5 W, 230 V, 350 lm
 at 4000 K



8719514340817
Adore recessed chrome 3-pack
 † 70–75 ↔ 94 ↗ 94 mm
 3 × 5 W, 3 × 350 lm at 4000 K




8719514340794
Adore recessed chrome
 † 70–75 ↔ 94 ↗ 94 mm
 5 W, 350 lm at 4000 K
 Dimmer switch not included

Dimmer switch remote control included



 **Adore**

2200–6500 K

 Lifetime: 30000 hours, 15000 hours (for GU models)

Light source included: GU10

Hue White Ambiance

⊕ – IP44

Metal/Aluminium/Glass/Synthetic



Philips Hue **White**

Adjust your lights easy and comfortably





Smart control, home and away

With the Philips Hue iOS and Android apps you can control your lights remotely wherever you are. Check if you have forgotten to switch your lights off before you left your home, and switch them on if you are working late.



Set timers for your convenience

Philips Hue can make it seem like you're home when you're not, using the schedule function in the Philips Hue app. Set the lights to come on at a pre-set time, so the lights are on when you arrive home. You can even set rooms to light up at different times. And of course, you can let the lights turn off gradually in the night, so you never have to worry whether you've left any lights on.



Installation free dimming

Experience guaranteed smooth dimming with Philips Hue. No need for wires, an electrician or installation.



Control with your voice

Philips Hue works with Amazon Alexa, Apple HomeKit* and Google Home, powered by the Google Assistant, to allow you to control your lights with your voice. Turn your lights on and off. Dim to the desired brightness for a perfect ambiance.

*Philips Hue Bridge required



800 lm



8719514319141
Philips Hue White
9 W A60 E27 4-pack



8719514329881
Philips Hue White
9 W A60 E27 3-pack



8719514319028
Philips Hue White
9 W A60 E27 2-pack

1100 lm



8719514289130
Philips Hue White
9,5 W A60 E27 3-pack with
Bridge and Dimmer switch



8719514289116
Philips Hue White
9,5 W A60 E27 2-pack
with Bridge



8719514289192
Philips Hue White
9,5 W A60 E27 2-pack



8719514288232
Philips Hue White
9,5 W A60 E27

1600 lm



8719514343320
Philips Hue White
15,5 W A60 E27



8719514320666
Philips Hue White
5,5 W E14 B39



8719514320628
Philips Hue White 5,5 W
E14 B39 2 szt.



8719514356696
Philips Hue White 5,7 W
E14 luster



8719514356771
Philips Hue White 5,7 W
E14 luster 2-Pack



8719514340060
Philips Hue White
5,2 W GU10



8719514340145
Philips Hue White 5,2 W
GU10 2-pack

Żarówki Philips Hue White

1600 lm (E27 15,5 W), 1055 lm (E27 9,5 W), 800 lm (E27 9 W) at 2700 K
470 lm (E14), 400 lm (GU10) at 2700 K
White 2700 K

Lifetime: 25000 hours (E14, E27), 15000 hours (GU10)

220 V–240 V/50–60 Hz

⊕ – IP20

↑ 117 ↔ 39 mm (E14), ↑ 71 ↔ 50 mm (GU10)

↑ 110 ↔ 60 mm (E27 9 W, 9,5 W)

↑ 131 ↔ 67 mm (E27 15,5 W)

Synthetic/Glass (E14), Aluminium/Glass (E27), Synthetic (GU10)

All Philips Hue White bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue Filaments



8719514342941
**Philips Hue White
 Filament 7 W E27 A60**



8719514343009
**Philips Hue White
 Filament 7 W E27 G93**



8719514343023
**Philips Hue White
 Filament 7 W E27 G125**



8719514342989
**Philips Hue White
 Filament 7 W E27 ST64**



8719514343061
**Philips Hue White
 Filament 7 W E27 ST72**



8719514302211
**Philips Hue White Filament
 4,5 W E14 Candle 2-pack**



8719514302235
**Philips Hue White Filament
 4,5 W E14 Candle**



Philips Hue White Filament



550 lm (E27), 300 lm (E14)
 White 2100 K
 Lifetime: 15000 hours

220 V–240 V/50–60 Hz

⊕ – IP20

↑ 115 ↔ 60 mm (A60), ↑ 150 ↔ 95 mm (G93),
 ↑ 135 ↔ 60 mm (ST64), ↑ 170 ↔ 72 mm (ST72),
 ↑ 180 ↔ 125 mm (G125), ↑ 117 ↔ 39 mm (E14)

Aluminium/Glass

All Philips Hue White bulbs are featuring Bluetooth® and Zigbee technology



Philips Hue
Inara/Welcome



8719514382763
Welcome floodlight
1 153 ↔ 220 ↗ 160 mm
28 W, 2300 lm



8719514388512
Inara wall lantern black
1 277 ↔ 256 ↗ 219 mm
9.5 W, 806 lm

E Welcome

2700 K
Lifetime: 25000 hours
Light source included

Hue White
220 V–240 V/50–60 Hz
⊕ – IP44
Aluminium die-cast

G Inara

2700 K
Lifetime: 25000 hours
Light source included

Hue White
220 V–240 V/50–60 Hz
⊕ – IP44
Aluminium



Philips Hue
Lucca/Tuar/Turaco



8718696166048
Lucca wall lantern anthracite
↑ 115 ↔ 215 ↗ 170 mm
9,5 W, 806 lm



8718696166055
Lucca pedestal anthracite
↑ 400 ↔ 142 ↗ 142 mm
9,5 W, 806 lm



8718696166062
Lucca post anthracite
↑ 770 ↔ 142 ↗ 140 mm
9,5 W, 806 lm



8718696154465
Turaco wall lantern anthracite
↑ 212 ↔ 118 ↗ 101 mm
9,5 W, 806 lm



8718696154472
Turaco pedestal anthracite
↑ 408 ↔ 121 ↗ 121 mm
9,5 W, 806 lm



8718696154489
Turaco post anthracite
↑ 802 ↔ 121 ↗ 121 mm
9,5 W, 806 lm



8718696166079
Tuar wall lantern inox
↑ 185 ↔ 150 ↗ 150 mm
9,5 W, 806 lm



8718696166086
Tuar pedestal inox
↑ 400 ↔ 150 ↗ 150 mm
9,5 W, 806 lm

F Lucca/Tuar/Turaco

2700 K
Lifetime: 25000 hours
Light source included
Hue White
220 V–240 V/50–60 Hz
⊕ – IP44
Aluminium

Smart accessories

The smartest way to control your lights.

Make your lighting smarter and create breathtaking scenes at home with the right Philips Hue accessories. Remote controls work anywhere. Customize to fit your needs. No wires, no electrician, no installation.



8719514342620
Bridge



8719514274617
Dimmer Switch



8719514342125
Motion Sensor



8719514342262
Outdoor Sensor



8719514342309
Smart Plug EU



8719514318045
Wall switch



8719514318021
Wall switch 2-pack



8719514440999
Tap dial switch white



8719514440937
Tap dial switch black



8720169268036
Power adaptor white
replacement part
20 W, 220-240 V



8720169268050
Power adaptor black
replacement part
20 W, 220-240 V



8720169268074
Play lightstrip cable
extension 2,5 m
replacement part

Intelligentne akcesoria

Bridge † 88 ↔ 88 ↗ 26 mm, ☹ – IP20, Synthetic

Dimmer Switch † 92 ↔ 35 ↗ 11 mm, ☹ – IP20, Synthetic, Bluetooth

Motion Sensor range: 5 m, angle: 100°, † 20 ↔ 55 mm, ☹ – IP42, Synthetic, requires Bridge

Outdoor sensor wireless, range: 12 m, angle: 160°, battery powered, IP54, † 76 ↔ 76 ↗ 56 mm, Synthetic, requires Bridge

Smart Plug EU turn on/off feature, † 50 ↔ 50 ↗ 85 mm, max. 3200 W, ☹ - IP20, Bluetooth


Wall switch † 43 ↔ 38 ↗ 10 mm, ☹ - IP20, Synthetic, battery powered, requires Bridge

Tap dial switch † 80 ↔ 80 mm (base), Ø 60 mm (switch), ☹ – IP20, Synthetic, requires Bridge

Compare the features

	White and Color Ambiance	White Ambiance	White
Smart control	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Control your lights from anywhere	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Automatic light control	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Easy dimming	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Setting the mood	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Natural wake-up	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Light supporting wellbeing	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
Colorful smart light	<input checked="" type="checkbox"/>		
Sync with music	<input checked="" type="checkbox"/>		
Sync with movies and games	<input checked="" type="checkbox"/>		



















COLOR TEMPERATURE























Philips Hue works with many other smart home devices, platforms, and assistants to help make your life more convenient. You can connect your Philips Hue system with Amazon Echo, Apple HomeKit, Google Home and many others. Bring your smart home to life with the most connected light in the world.



Philips Hue Secure

929003563803 871951448728400 8719514487284	929003563903 871951448734500 8719514487345	929003563804 871951448716100 8719514487161	929003563904 871951448722200 8719514487222	
 18	 18	 18	 18	
929003562502 871951449267700 8719514492677	929003562702 871951449285100 8719514492851	929003562602 871951449277600 8719514492776	929003562802 871951449293600 8719514492936	929003562504 871951449613200 8719514496132
 18	 18	 18	 18	 18
929003562704 871951449615600 8719514496156	929003562901 872016916063700 8720169160637	929003563001 872016916069900 8720169160699	929003711901 872016926291100 8720169262911	929003563201 872016916081100 8720169160811
 18	 19	 19	 19	 19
929003563701 872016916099600 8720169160996	929003562707 872016919231700 8720169192317	929002468824 872016915961700 8720169159617	929003608801 872016917770300 8720169177703	
 19	 19	 19	 19	

Philips Hue White and Color Ambiance

929002489604 871951432840200 8719514328402	929002489603 871951432838900 8719514328389	929002489602 871951432836500 8719514328365	929002468801 871951429117100 8719514291171	929002468802 871951429131700 8719514291317
 22	 22	 22	 22	 22
929002468804 871951429135500 8719514291355	929002468805 871951429137900 8719514291379	929002468811 871951429151500 8719514291515	929002468810 871951429149200 8719514291492	929002471601 871951428815700 8719514288157
 22	 22	 22	 22	 22
929002294204 871951435661000 8719514356610	929002294205 871951435671900 8719514356719	929001953111 871951433988000 8719514339880	929001953112 871951434008400 8719514340084	929001953115 871951434276700 8719514342767
 23	 23	 23	 23	 23
929001953113 871951434010700 8719514340107	929003573601 871951449122900 8719514491229	929003573602 871951449128100 8719514491281	929003575301 871951449140300 8719514491403	929003575302 871951449164900 8719514491649
 23	 23	 23	 23	 23

929003151301
871951441927800
8719514419278



25

929003152101
871951441945200
8719514419452



25

929002275802
871869970480300
8718699704803



26

929002422701
871869978475100
8718699784751



28

929002422801
871869978477500
8718699784775



28

929002422901
871869978479900
8718699784799



28

929003662101
872016926811100
8720169268111



28

915005987901
871869617629000
8718696176290



30

915005988101
871869617631300
8718696176313



30

915005988001
871869617630600
8718696176306



30

915005988201
871869617632000
8718696176320



30

929003498501
871951443447900
8719514434479



32

929003498601
871951443453000
8719514434530



32

929003498701
871951443459200
8719514434592



32

929003662201
872016926813500
8720169268135



32

929003498502
871951443463900
8719514434639



32

929003498602
871951443465300
8719514434653



32

929003498702
871951443467700
8719514434677



32

915005733901
7820230P7
8718696170724



34

915005734601
7820231P7
8718696170793



34

915005733701
7820130P7
8718696170717



34

915005734401
7820131P7
8718696170748



34

915005735501
7820331P7
8718696170809



34

915005734101
7820330P7
8718696170731



34

915005750101
7820430P7
8718696171189



34

929003661001
872016926797800
8720169267978



34

929003660901
872016926795400
8720169267954



34

929003662001
872016926809800
8720169268098



34

915005761101
5063131P7
8718696171493



37

915005761201
5063130P7
8718696171509



37

915005761301
5063231P7
8718696171516



37

915005761401
5063230P7
8718696171523



37

915005761501
5063331P7
8718696171530



37

915005761601
5063330P7
8718696171547



37

915005761701
5063431P7
8718696171554



37

915005761801
5063430P7
8718696171561



37

915005761901
5062131P7
8718696171578



39

915005762301
5062148P7
8718696171615



39

915005762201
5062431P7
8718696171608



39

915005762601
5062448P7
8718696171646



39

915005762001
5062231P7
8718696171585



39

915005762401
5062248P7
8718696171622



39

915005762501
5062348P7
8718696171639



39

915005762101
5062331P7
8718696171592



39

915005762101
5062331P7
8718696171592



39

929003047701
871951433892000
8719514338920



41

929003047601
871951433880700
8719514338807



41

929003045201
871951434288000
8719514342880



41

929003045301
871951434286600
8719514342866



41

929003045501
871951434290300
8719514342903



41

929003047501
871951433864700
8719514338647



41

929003047401
871951433862300
8719514338623



41

929003045401
871951434292700
8719514342927



41

915005928301
5061031P7
8718696176009



39

915005928101
5061030P7
8718696175989



39

915005928401
5060931P7
8718696176016



39

915005928201
5060930P7
8718696175996



39

915005928601
5060831P7
8718696176030



39

915005928501
5060830P7
8718696176023



43

915005928801
5060731P7
8718696176054



43

915005928701
5060730P7
8718696176047



43

929003117301
871951440776300
8719514407763



46

929003117401
871951440778700
8719514407787



46

929003117501
871951440780000
8719514407800



46

929003117601
871951440782400
8719514407824



46

929003117101
871951440772500
8719514407725



47

929003117201
871951440774900
8719514407749



47

929003117701
871951440784800
8719514407848



47

929003117801
871951440786200
8719514407862



47

929003117901
871951440788600
8719514407886



47

929003118001
871951440790900
8719514407909



47

929003115701
871951440744200
8719514407442



47

929003115801
871951440746600
8719514407466



47

929003115901
871951440748000
8719514407480



47

929003116001
871951440750300
8719514407503



47

915005986901
871869617623800
8718696176238



49

915005987001
871869617624500
8718696176245



49

915005987101
871869617625200
8718696176252



49

915005987201
871869617626900
8718696176269



49

929003479701
871951443352600
8719514433526



49

929003479601
871951443346500
8719514433465



49

915005871701
4090130P9
8718696174531



51

915005871801
4090131P9
8718696174548



51

915005871901
4090230P9
8718696174555



51

915005872001
4090231P9
8718696174562



51

929003052501
871951434336800
8719514343368



53

929003053301
871951434346700
8719514343467



53

929003053401
871951434348100
8719514343481



53

929003053501
871951434350400
8719514343504



53

929003053601
871951434352800
8719514343528



53

915005997201
4116331P9
8718696176498



55

915005997301
4116330P9
8718696176504



55

915005997401
4116431P9
8718696176511



55

915005997501
4116430P9
8718696176528



55

929002966401
871951435507100
8719514355071



55

929002966501
871951435505700
8719514355057



55

929003598001
872016915913600
8720169159136



55

929003598101
872016915919800
8720169159198



55

915005997801
4116731P9
8718696176559



57

929003526301
871951445225100
8719514452251




57

915005997901
4116831P9
8718696176566



57

929003074701
871951435534700
8719514355347




57

929003074801
871951435539200
8719514355392



57

929003526101
871951445213800
8719514452138



57

929003526202
871951445219000
8719514452190



57

929002994901
871951433996500
8719514339965



59

929002995001
871951433998900
8719514339989



59

929002269101
871869970342400
8718699703424



59

929002269201
871869970344800
8718699703448



59

929002376001
871869977112600
8718699771126



61

929002375901
8718699770983
8718699770983



61

915005821901
7602031P7
8718696173992



61

929003661301
872016926799200
8720169267992



61

929002376101
871951426446500
8719514264465



63

929002376201
871951426448900
8719514264489



63

929002376402
871951441073200
8719514410732



63

929002376703
871951441152400
8719514411524



63

929002376803
871951441158600
8719514411586



63

929003149501
871951441415000
8719514414150



66

929003149201
871951441397900
8719514413979



66

915005641701
1742430PN
8718696168721



67

915006001601
1736830PN
8718696176641



67

915006001801
1736930PN
8718696176658



67

915005843401
1746630P7
8718696174425



68

929002289002
871869970983900
8718699709839



68

929002289102
871869970985300
8718699709853



68

915005842601
1746230P7
8718696174364




69

915005629701
1741430P7
8718696167960



69

915005671701
1742830P7
8718696169087



69

915005629801
1741530P7
8718696167977



69

915005731801
1743730P7
8718696170557



69

915005630301
1742030P7
8718696167991



69

929003098601
871951438849900
8719514388499



69

929003128401
871951440457100
8719514404571



71

929003128501
871951440459500
8719514404595



71

929003663301
872016926801200
8720169268012



71

929003674402
872016924662100
8720169246621



73

929003674602
872016924686700
8720169246867



73

915005842101
1745930P7
8718696174333



75

915005730801
1743030P7
8718696170496




75

915005731001
1743130P7
8718696170502



75

915005730601
1742930P7
8718696170489



75

915005731101
1743230P7
8718696170519
















75

915005731301
1743430P7
8718696170526



75

915005841601 1745530P7 8718696174296  77	915005842901 1746430P7 8718696174388  77	915005843001 1746447P7 8718696174395  77	929003553001 871951446677700 8719514466777  77	915005843201 1746530P7 8718696174401  77
915005843301 1746547P7 8718696174418  77	915005841701 1745630P7 8718696174302  77	929003665001 872016923450500 8720169234505  77	915005731401 1743530P7 8718696170533  79	915005842401 1746130P7 8718696174357  79
915005842801 1746330P7 8718696174371  79	915005976301 1746347P7 8718696176207  79	915005732701 1744230P7 8718696170601  79	915005732101 1743930P7 8718696170571  79	915005732301 1744030P7 8718696170588  79
915005732501 1744130P7 8718696170595  79	915005731901 1743830P7 8718696170564  79			

Philips Hue White Ambiance

929002489802 871951432824200 8719514328242  82	929002489803 871951432826600 8719514328266  82	929002489804 871951432828000 8719514328280  82	929002468403 871951429123200 8719514291232  82	929002468406 871951429181200 8719514291812  82
929002468404 871951429125600 8719514291256  82	929002468401 871951429111900 8719514291119  82	929002471901 871951428819500 8719514288195  82		
929001953312 871951434280400 8719514342804  83	929001953310 871951434012100 8719514340121  83	929001953309 871951433990300 8719514339903  83	929002294404 871951435673300 8719514356733  83	929002294403 871951435665800 8719514356658  83

929003573701
871951449110600
8719514491106



83

929003573702
871951449116800
8719514491168



83

929003575201
871951449134200
8719514491342



83

929003575202
871951449158800
8719514491588



83

929002477801
871951430148100
8719514301481



85

929002477901
871951430150400
8719514301504



85

929002478101
871951430154200
8719514301542



85

929002477501
871951430142900
8719514301429



85

929002477701
871951430146700
8719514301467



85

929003145202
871951441186900
8719514411869



85

929003145201
871951441180700
8719514411807



85

929003054901
871951434107400
8719514341074



87

929003054801
871951434109800
8719514341098



87

929003054501
871951434129600
8719514341296



89

929003054401
871951434131900
8719514341319



89

929003054701
871951434125800
8719514341258



89

929003054601
871951434127200
8719514341272



89

915005998101
4116230P6
8718696176580



91

915005997101
4116130P6
8718696176481



91

915005997001
4116131P6
8718696176474



91

915005996901
4116030P6
8718696176467



91

915005996801
4116031P6
8718696176450



91

915005998001
4116231P6
8718696176573



91

915005996701
4115930P6
8718696176443



91

915005996601
4115931P6
8718696176436



91

915005996501
4115830P6
8718696176429



91

915005996401
4115831P6
8718696176412



91

929003055101
871951434113500
8719514341135



93

929003055001
871951434115900
8719514341159



93

929003055201
871951434111100
8719514341111



93

915005914601
871869617528600
8718696175286



93

915005914701
871869617529300
8718696175293



93

915005914501
871869617527900
8718696175279



93

929003055401
871951434133300
8719514341333



95

929003055501
871951434135700
8719514341357



95

929003055301
871951434137100
8719514341371



95

929003054101
871951434139500
8719514341395



97

929003054001
871951434141800
8719514341418



97

929003046501
871951433844900
8719514338449



99

929003046901
871951433852400
8719514338524



99

929003046401
871951433842500
8719514338425



99

929003046701
871951433848700
8719514338487



99

929003046801
871951433850000
8719514338500



99

929003046601
871951433846300
8719514338463



99

929003045901
871951433832600
8719514338326



101

929003046101
871951433836400
8719514338364



101

929003045801
871951433820300
8719514338203



101

929003046001
871951433834000
8719514338340



101

929003045701
871951433816600
8719514338166



101

929003045601
871951433814200
8719514338142



101

929003046301
871951433840100
8719514338401



101

929003046201
871951433838800
8719514338388



101

929003048401
871951433918700
8719514339187



103

929003048601
871951433922400
8719514339224



103

929003047801
871951433906400
8719514339064



103

929003048001
871951433910100
8719514339101



103

929003048201
871951433914900
8719514339149



103

929003048501
871951433920000
8719514339200



103

929003048701
871951433924800
8719514339248



103

929003047901
871951433908800
8719514339088



103

929003048101
871951433912500
8719514339125



103

929003048301
871951433916300
8719514339163



103

929003099201
871951438262600
8719514382626



105

929003099001
871951438264000
8719514382640



105

929003099101
871951438266400
8719514382664



105

929003597801
872016915901300
8720169159013



105

929003597601
872016915889400
8720169158894



105

929003597701
872016915895500
8720169158955



105

929003597901
872016915907500
8720169159075



105

929003099301
871951438268800
8719514382688



105

929003047201
871951433858600
8719514338586



107

929003047301
871951433860900
8719514338609



107

929003047001
871951433854800
8719514338548



107

929003047101
871951433856200
8719514338562



107

929003045001
871951434284200
8719514342842



107

929003045101
871951434282800
8719514342828



107

929003056901
871951434101200
8719514341012



109

915005997601
4116531P6
8718696176535



109

915005997701
4116631P6
8718696176542



109

929003056701
871951434097800
8719514340978



111

929003056801
871951434099200
8719514340992



111

929003056001
871951434083100
8719514340831



111

929003056401
871951434091600
8719514340916



113

929003056301
871951434089300
8719514340893



113

929003056201
871951434087900
8719514340879



113

929003056101
871951434085500
8719514340855



113

929003055901
871951434081700
8719514340817



113

929003055801
871951434079400
8719514340794



113

Philips Hue White

929001821625
871951431914100
8719514319141



116

929001821627
871951432988100
8719514329881



116

929001821623
871951431902800
8719514319028



116

929002334904
871951434332000
8719514343320



116

929002469204
871951428913000
8719514289130



116

929002469201
871951428911600
8719514289116



116

929002469205
871951428919200
8719514289192



116

929002469202
871951428823200
8719514288232



116

929003021101
871951432066600
8719514320666



117

929003021102
871951432062800
8719514320628



117

929002440603
871951435669600
8719514356696



117

929002440604
871951435677100
8719514356771



117

929001953507
871951434006000
8719514340060



117

929001953508
871951434014500
8719514340145



117

929002479501
871951430223500
8719514302235



119

929002479502
871951430221100
8719514302211



119

929003052301
871951434306100
8719514343061



119

929003052101
871951434302300
8719514343023



119

929003051401
871951434294100
8719514342941



119

929003051901
871951434300900
8719514343009



119

929003051701
871951434298900
8719514342989



119

915005731602
871951438276300
8719514382763



121

929003098901
871951438851200
8719514388512



121

915005561401
1740393P0
8718696166062



123

915005561301
1740293P0
8718696166055



123

915005561201
1740193P0
8718696166048



123

915005561501
1740447P0
8718696166079



123

915005561601
1740547P0
8718696166086



123

915003761403
1647293P0
8718696154465



123

915003761502
1647393P0
8718696154472



123

915003761602
1647493P0
8718696154489



123

Philips Hue accessories

929001180642
871951434262000
8719514342620



124

929002398602
871951427461700
8719514274617



124

929003067501
871951434212500
8719514342125



124

929003067401
871951434226200
8719514342262



124

929003500101
871951444099900
8719514440999



124

929003050901
871951434234700
8719514342347



124

929003017102
871951431802100
8719514318021



124

929003017101
871951431804500
8719514318045



124

929003500201
871951444093700
8719514440937



124

929003661501
872016926803600
8720169268036



124

929003661601
872016926805000
8720169268050



124

929003661901
872016926807400
8720169268074



124





© 2024 Signify Holding. All rights reserved.

The information provided herein is subject to change, without notice. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V. All other trademarks are owned by Signify Holding or their respective owners.

www.philips-hue.com